

JETLATO

UID: 1A406030000A4A7000009131

LIMS ID: 2602HKH0269.0919

Strain: JETLATO DISPOS

Matrix: Concentrates & Extracts

Type: Vape

Sample Size: 12 units

Batch #: 1A406030006B72500000290

Collected: 02/03/2026

Received: 02/03/2026

Reported: 02/09/2026

Batch Size: 300 units

Source Package ID:

1A406030006B72500000290

Distributor

CSPA GROUP, INC

Lic. # C11-0000259-LIC

9501 Commerce Way

Adelanto, CA 92301

Producer

CSPA GROUP, INC

Lic. # dcc-10005027

9501 Commerce Way Adelanto, CA 92301



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/05/2026	Complete
Residual Solvents	02/04/2026	Pass
Microbials	02/07/2026	Pass
Mycotoxins	02/04/2026	Pass
Pesticides	02/06/2026	Pass
Heavy Metals	02/04/2026	Pass
Foreign Matter	02/03/2026	Pass

Cannabinoids

Complete

84.795%
847.955 mg/g
Total THC

0.103%
1.026 mg/g
Total CBD

87.727%
877.275 mg/g
Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	mg/g	%	mg/serving	mg/package
CBC	0.00002	0.050	5.630	0.5630	5.630	5.630
CBD	0.00004	0.050	ND	ND	ND	ND
CBDa	0.00004	0.050	1.170	0.1170	1.170	1.170
CBDV	0.00023	0.050	ND	ND	ND	ND
CBG	0.00009	0.050	8.740	0.8740	8.740	8.740
CBGa	0.00007	0.050	8.100	0.8100	8.100	8.100
CBN	0.00002	0.050	3.050	0.3050	3.050	3.050
Δ8-THC	0.00023	0.050	ND	ND	ND	ND
Δ9-THC	0.00015	0.050	802.000	80.2000	802.000	802.000
THCa	0.00003	0.050	52.400	5.2400	52.400	52.400
THCV	0.00014	0.050	3.770	0.3770	3.770	3.770
Total THC			847.955	84.795	847.955	847.955
Total CBD			1.026	0.103	1.026	1.026
Total			877.275	87.727	877.275	877.275

1.0 serving(s) per container.

Testing performed on Agilent HPLC-DAD according to Cannabinoids POT-SOP-1

Total THC = (THC A X 0.877) + THC Total CBD = (CBD A X 0.877) + CBD

The reported result is based on a sample weight with the applicable moisture content for that sample.

NT
Not Tested
Moisture Content

NT
Not Tested
Water Activity

Pass
Foreign Matter

Test performed by a magnifying lens according to Foreign Materials Evaluation in Cannabis SOP



Jason Cooley
Jason Cooley, Ph.D
Chief Scientific Officer
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by SQRD Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Decision rule: Values reported relate only to the product tested. SQRD Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of SQRD Labs. References: ND = Not Detected, LOQ = Limit of Quantitation, LOD = Limit of Detection.



SQRD Lab
12820 S. Figueroa St.
Los Angeles, CA 90061

(833) 777-3522
http://www.confidentcannabis.com
Lic# C8-0000122-LIC

Regulatory Compliance Testing
Certificate of Analysis

2 of 6

JETLATO

UID: 1A406030000A4A7000009131
LIMS ID: 2602HKH0269.0919
Strain: JETLATO DISPOS

Matrix: Concentrates & Extracts
Type: Vape
Sample Size: 12 units
Batch #: 1A406030006B725000000290

Collected: 02/03/2026
Received: 02/03/2026
Reported: 02/09/2026
Batch Size: 300 units
Source Package ID:
1A406030006B725000000290

Distributor
CSPA GROUP, INC
Lic. # C11-0000259-LIC
9501 Commerce Way
Adelanto, CA 92301

Producer
CSPA GROUP, INC
Lic. # dcc-10005027
9501 Commerce Way Adelanto, CA 92301

Microbials


Pass

Analyte	Limit	Results	Status
<i>Aspergillus flavus</i>	Not Detected	Not Detected	Pass
<i>Aspergillus fumigatus</i>	Not Detected	Not Detected	Pass
<i>Aspergillus niger</i>	Not Detected	Not Detected	Pass
<i>Aspergillus terreus</i>	Not Detected	Not Detected	Pass
<i>E. Coli</i>	Not Detected	Not Detected	Pass
<i>Salmonella SPP</i>	Not Detected	Not Detected	Pass



Testing performed on Biomerieux Gene-Up according to Microbial Impurities Testing SOP
ND = Not Detected; NT = Not Tested; LOQ = Limit of Quantitation; LOD = Limit of Detection




Jason Cooley, Ph.D
Chief Scientific Officer
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by SQRD Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Decision rule: Values reported relate only to the product tested. SQRD Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of SQRD Labs. References: ND = Not Detected, LOQ = Limit of Quantitation, LOD = Limit of Detection.



SQRD Lab
12820 S. Figueroa St.
Los Angeles, CA 90061

(833) 777-3522
http://www.confidentcannabis.com
Lic# C8-0000122-LIC

Regulatory Compliance Testing
Certificate of Analysis

3 of 6

JETLATO

UID: 1A406030000A4A7000009131
LIMS ID: 2602HKH0269.0919
Strain: JETLATO DISPOS

Matrix: Concentrates & Extracts
Type: Vape
Sample Size: 12 units
Batch #: 1A406030006B725000000290

Collected: 02/03/2026
Received: 02/03/2026
Reported: 02/09/2026
Batch Size: 300 units
Source Package ID:
1A406030006B725000000290

Distributor
CSPA GROUP, INC
Lic. # C11-0000259-LIC
9501 Commerce Way
Adelanto, CA 92301

Producer
CSPA GROUP, INC
Lic. # dcc-10005027
9501 Commerce Way Adelanto, CA 92301

Mycotoxins


Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.668	3.125	N/A	ND	Pass
Aflatoxin B2	2.805	3.125	N/A	ND	Pass
Aflatoxin G1	1.519	3.125	N/A	ND	Pass
Aflatoxin G2	2.899	3.125	N/A	ND	Pass
Total Aflatoxins	3.869	12.500	20.000	ND	Pass
Ochratoxin A	6.110	6.250	20.000	ND	Pass



Testing performed on Agilent LCTQ according to Pesticides & Mycotoxins SOP
ND = Not Detected; NT = Not Tested; LOQ = Limit of Quantitation; LOD = Limit of Detection




Jason Cooley, Ph.D
Chief Scientific Officer
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by SQRD Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Decision rule: Values reported relate only to the product tested. SQRD Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of SQRD Labs. References: ND = Not Detected, LOQ = Limit of Quantitation, LOD = Limit of Detection.



SQRD Lab
12820 S. Figueroa St.
Los Angeles, CA 90061

(833) 777-3522
http://www.confidentcannabis.com
Lic# C8-0000122-LIC

Regulatory Compliance Testing
Certificate of Analysis

4 of 6

JETLATO

UID: 1A406030000A4A7000009131
LIMS ID: 2602HKH0269.0919
Strain: JETLATO DISPOS

Matrix: Concentrates & Extracts
Type: Vape
Sample Size: 12 units
Batch #: 1A406030006B725000000290

Collected: 02/03/2026
Received: 02/03/2026
Reported: 02/09/2026
Batch Size: 300 units
Source Package ID:
1A406030006B725000000290

Distributor
CSPA GROUP, INC
Lic. # C11-0000259-LIC
9501 Commerce Way
Adelanto, CA 92301

Producer
CSPA GROUP, INC
Lic. # dcc-10005027
9501 Commerce Way Adelanto, CA 92301

Heavy Metals


Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0054	0.050	0.2	ND	Pass
Cadmium	0.0038	0.050	0.2	ND	Pass
Lead	0.00087	0.125	0.5	<LOQ	Pass
Mercury	0.0021	0.025	0.1	ND	Pass



Test performed on ICP-MS according to HM-Heavy Metals SOP
ND = Not Detected; NT = Not Tested; LOQ = Limit of Quantitation; LOD = Limit of Detection




Jason Cooley, Ph.D
Chief Scientific Officer
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by SQRD Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Decision rule: Values reported relate only to the product tested. SQRD Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of SQRD Labs. References: ND = Not Detected, LOQ = Limit of Quantitation, LOD = Limit of Detection.



SQRD Lab
12820 S. Figueroa St.
Los Angeles, CA 90061

(833) 777-3522
http://www.confidentcannabis.com
Lic# C8-0000122-LIC

Regulatory Compliance Testing
Certificate of Analysis

5 of 6

JETLATO

UID: 1A406030000A4A7000009131
LIMS ID: 2602HKH0269.0919
Strain: JETLATO DISPOS

Matrix: Concentrates & Extracts
Type: Vape
Sample Size: 12 units
Batch #: 1A406030006B72500000290

Collected: 02/03/2026
Received: 02/03/2026
Reported: 02/09/2026
Batch Size: 300 units
Source Package ID:
1A406030006B72500000290

Distributor
CSPA GROUP, INC
Lic. # C11-0000259-LIC
9501 Commerce Way
Adelanto, CA 92301

Producer
CSPA GROUP, INC
Lic. # dcc-10005027
9501 Commerce Way Adelanto, CA 92301

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.021	0.0313	0.100	ND	Pass	Fludioxonil	0.011	0.0313	0.100	ND	Pass
Acephate	0.011	0.0313	0.100	ND	Pass	Hexythiazox	0.009	0.0313	0.100	ND	Pass
Acequinocyl	0.005	0.0313	0.100	ND	Pass	Imazalil	0.017	0.0313	LOD	ND	Pass
Acetamiprid	0.009	0.0313	0.100	ND	Pass	Imidacloprid	0.009	0.0313	5.000	ND	Pass
Aldicarb	0.011	0.0313	LOD	ND	Pass	Kresoxim Methyl	0.020	0.0313	0.100	ND	Pass
Azoxystrobin	0.009	0.0313	0.100	ND	Pass	Malathion	0.016	0.0313	0.500	ND	Pass
Bifenazate	0.009	0.0313	0.100	ND	Pass	Metalaxyl	0.009	0.0313	2.000	ND	Pass
Bifenthrin	0.004	0.0313	3.000	ND	Pass	Methiocarb	0.006	0.0313	LOD	ND	Pass
Boscalid	0.013	0.0313	0.100	ND	Pass	Methomyl	0.010	0.0313	1.000	ND	Pass
Captan	0.022	0.0313	0.700	ND	Pass	Mevinphos	0.012	0.0313	LOD	ND	Pass
Carbaryl	0.009	0.0313	0.500	ND	Pass	Myclobutanil	0.010	0.0313	0.100	ND	Pass
Carbofuran	0.010	0.0313	LOD	ND	Pass	Naled	0.013	0.0313	0.100	ND	Pass
Chlorantraniliprole	0.010	0.0313	10.000	ND	Pass	Oxamyl	0.008	0.0313	0.500	ND	Pass
Chlordane	0.027	0.0893	LOD	ND	Pass	Pacllobutrazol	0.007	0.0313	LOD	ND	Pass
Chlorfenapyr	0.022	0.0875	LOD	ND	Pass	Parathion Methyl	0.009	0.0875	0.009	ND	Pass
Chlorpyrifos	0.009	0.0313	LOD	ND	Pass	Pentachloronitrobenzene	0.010	0.0875	0.100	ND	Pass
Clofentezine	0.006	0.0313	0.100	ND	Pass	Permethrin	0.015	0.0313	0.500	ND	Pass
Coumaphos	0.008	0.0313	LOD	ND	Pass	Phosmet	0.014	0.0313	0.100	ND	Pass
Cyfluthrin	0.024	0.0313	2.000	ND	Pass	Piperonyl Butoxide	0.007	0.0313	3.000	ND	Pass
Cypermethrin	0.014	0.0313	1.000	ND	Pass	Prallethrin	0.025	0.0313	0.100	ND	Pass
Daminozide	0.010	0.0313	LOD	ND	Pass	Propiconazole	0.009	0.0313	0.100	ND	Pass
Diazinon	0.004	0.0313	0.100	ND	Pass	Propoxur	0.007	0.0313	LOD	ND	Pass
Dichlorvos	0.016	0.0313	LOD	ND	Pass	Pyrethrins	0.010	0.0313	0.500	ND	Pass
Dimethoate	0.007	0.0313	LOD	ND	Pass	Pyridaben	0.006	0.0313	0.100	ND	Pass
Dimethomorph	0.006	0.0313	2.000	ND	Pass	Spinetoram	0.018	0.0313	0.100	ND	Pass
Ethoprophos	0.005	0.0313	LOD	ND	Pass	Spinosad	0.008	0.0313	0.100	ND	Pass
Etofenprox	0.005	0.0313	LOD	ND	Pass	Spiromesifen	0.010	0.0313	0.100	ND	Pass
Etoazole	0.008	0.0313	0.100	ND	Pass	Spirotetramat	0.004	0.0313	0.100	ND	Pass
Fenhexamid	0.013	0.0313	0.100	ND	Pass	Spiroxamine	0.008	0.0313	LOD	ND	Pass
Fenoxycarb	0.008	0.0313	LOD	ND	Pass	Tebuconazole	0.012	0.0313	0.100	ND	Pass
Fenpyroximate	0.010	0.0313	0.100	ND	Pass	Thiacloprid	0.006	0.0313	LOD	ND	Pass
Fipronil	0.026	0.0313	LOD	ND	Pass	Thiamethoxam	0.008	0.0313	5.000	ND	Pass
Fonicamid	0.009	0.0313	0.100	ND	Pass	Trifloxystrobin	0.008	0.0313	0.100	ND	Pass

Testing performed on Agilent LCTQ & GCTQ according to Pesticides & Mycotoxins SOP
ND = Not Detected; NT = Not Tested; LOQ = Limit of Quantitation; LOD = Limit of Detection



Jason Cooley, Ph.D
Chief Scientific Officer
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by SQRD Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Decision rule: Values reported relate only to the product tested. SQRD Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of SQRD Labs. References: ND = Not Detected, LOQ = Limit of Quantitation, LOD = Limit of Detection.



SQRD Lab
12820 S. Figueroa St.
Los Angeles, CA 90061

(833) 777-3522
http://www.confidentcannabis.com
Lic# C8-0000122-LIC

Regulatory Compliance Testing
Certificate of Analysis

6 of 6

JETLATO

UID: 1A406030000A4A7000009131
LIMS ID: 2602HKH0269.0919
Strain: JETLATO DISPOS

Collected: 02/03/2026
Received: 02/03/2026
Reported: 02/09/2026
Batch Size: 300 units
Source Package ID:
1A406030006B72500000290

Distributor
CSPA GROUP, INC
Lic. # C11-0000259-LIC
9501 Commerce Way
Adelanto, CA 92301

Producer
CSPA GROUP, INC
Lic. # dcc-10005027
9501 Commerce Way Adelanto, CA 92301

Matrix: Concentrates & Extracts
Type: Vape
Sample Size: 12 units
Batch #: 1A406030006B72500000290

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.049	0.3	1	ND	Pass
Acetone	0.173	0.3	5000	3.23	Pass
Acetonitrile	0.203	0.3	410	0.48	Pass
Benzene	0.041	0.3	1	<LOQ	Pass
Butane	0.159	0.8	5000	30.77	Pass
Chloroform	0.059	0.3	1	ND	Pass
Ethanol	0.217	0.3	5000	ND	Pass
Ethyl-Acetate	0.083	0.3	5000	ND	Pass
Ethyl-Ether	0.122	0.3	5000	ND	Pass
Ethylene Oxide	0.195	0.3	1	ND	Pass
Heptane	0.046	0.3	5000	ND	Pass
Isopropanol	0.176	0.3	5000	25.14	Pass
Methanol	0.21	50	3000	ND	Pass
Methylene-Chloride	0.125	0.3	1	ND	Pass
n-Hexane	0.059	0.3	290	ND	Pass
Pentane	0.085	0.3	5000	ND	Pass
Propane	0.196	0.8	5000	ND	Pass
Toluene	0.038	0.3	890	ND	Pass
Trichloroethene	0.048	0.3	1	ND	Pass
Xylenes	0.213	0.9	2170	ND	Pass

Testing performed on Agilent HS/GC/MSD according to Residual solvents SOP
ND = Not Detected; NT = Not Tested; LOQ = Limit of Quantitation; LOD = Limit of Detection



Jason Cooley
Jason Cooley, Ph.D
Chief Scientific Officer
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by SQRD Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR 15730, pursuant to 4 CCR section 15726(e)(13). Decision rule: Values reported relate only to the product tested. SQRD Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of SQRD Labs. References: ND = Not Detected, LOQ = Limit of Quantitation, LOD = Limit of Detection.